

Delock Antenna Cable RP-SMA jack bulkhead to I-PEX Inc., MHF® 4 plug 0.81 10 cm thread length 9 mm splash proof

Description

This antenna cable by Delock is suitable to supply an antenna signal in the interior of a device.

Due to the loose sealing ring on the base plate on the RP-SMA panel socket ensures a splash-proof connection to the unit.



Item no. 12464

EAN: 4043619124640

Country of origin: Taiwan, Republic of China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x RP-SMA jack bulkhead >
 - 1 x I-PEX Inc., MHF® 4 plug
- Thread length: 9 mm
- Impedance: 50 Ohm
- Cable: coaxial
- Cable type: 0.81
- Cable attenuation: 4.9 dB @ 2.4 GHz per meter
- Cable diameter: ca. 0.81 mm
- Smallest bending radius: 3.24 mm
- Cable colour: black
- Length incl. connectors (L): ca. 10 cm

System requirements

- Device with one free RP-SMA or I-PEX Inc., MHF® 4 port

Package content

- Cable
- Nut and Locking Ring

Images



Interface

| | |
|--------------|-----------------------------|
| Connector 1: | 1 x RP-SMA jack bulkhead |
| Connector 2: | 1 x I-PEX Inc., MHF® 4 plug |

Technical characteristics

| | |
|------------|------|
| Impedance: | 50 Ω |
|------------|------|

Physical characteristics

| | |
|-------------------------------|-----------------------------|
| Thread length: | 9 mm |
| Cable category: | coaxial |
| Cable type: | 0.81 |
| Cable attenuation: | 4.9 dB @ 2.40 GHz per meter |
| Cable colour: | black |
| Cable length incl. connector: | 10 cm |
| Smallest bending radius: | 3.24 mm |
| Diameter mounting hole: | 6.5 mm |