

Delock Antenna Cable N plug > RP-SMA plug CFD400 LLC400 10 m low loss

Description

This high-quality coaxial cable ensures a reliable connection of components of the radio frequency technology. It is characterised by a **very low attenuation**. Thanks to the **waterproof** N connector, this cable is ideal for outdoor use.



Item no. 13028

EAN: 4043619130283 Country of origin: Taiwan, Republic of China

Package: Box

Technical details

• Connectors:

1 x N plug waterproof >

1 x RP-SMA plug

• Impedance: 50 Ohm

• Cable type: CFD400, LLC400

· Cable type: coaxial

· Cable attenuation:

0.3 dB @ 3.0 GHz per meter

0.48 dB @ 6.0 GHz per meter

• Cable diameter: ca. 10.5 mm

• Smallest bending radius: 51.5 mm

· Cable colour: black

• Length incl. connectors (L): ca. 10 m

System requirements

• Device with one free N and RP-SMA port





Package content

• Antenna cable

Images









Interface

Connector 1:	1 x RP-SMA plug
Connector 2:	1 x N male

Technical characteristics

Impedance: 50Ω

Physical characteristics

Cable type:	CFD400, LLC400
Cable attenuation:	0.30 dB @ 3.0 GHz 0.48 dB @ 6.0 GHz
Cable colour:	black
Cable length:	10 m
Smallest bending radius:	51.5 mm