

# Delock 2.5" External Enclosure SATA HDD / SSD > USB 3.1 Gen 2

## Description

In the aluminum enclosure by Delock a 2.5" SATA hard drive or SSD can be installed. The enclosure can be connected via USB Type-A to the PC or laptop.



**Item no. 42587**

EAN: 4043619425877

Country of origin: China

Package: Retail Box

## Technical details

- Connector:
  - external: 1 x SuperSpeed USB 10 Gbps (USB 3.1 Gen 2) USB Type-C™ female
  - internal: 1 x SATA 6 Gb/s 22 pin
- Suitable for 2.5" SATA HDD / SSD:
  - HDD height up to 9.5 mm
  - SATA HDD / SSD up to 6 Gbps
  - HDD / SSD up to 3 TB
  - supports 5 V HDD / SSD
- Chipset: Asmedia ASM1351
- Data transfer rate:
  - SuperSpeed USB 10 Gbps,
  - SuperSpeed USB 5 Gbps,
  - Hi-Speed 480 Mbps,
  - Full-Speed 12 Mbps,
  - Low-Speed 1.5 Mbps
- LED indicator for power and access
- Supports UASP
- Colour: grey
- Dimensions (LxWxH): ca. 125 x 77 x 15.5 mm

- Hot Swap, Plug & Play

---

## System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux ex Kernel 4.6, Mac OS 10.9
- PC or laptop with a free USB Type-A port

---

## Package content

- 2.5" external enclosure
- Screws
- Cable USB-C™ male to USB Type-A male, length ca. 50 cm
- User manual

---

## Images



## General

Function:	Hot Swap Plug & Play
Suitable for data medium:	Höhe bis 12,5 mm 2.5" SSD or HDD up to 3 TB
Supported operating system:	Linux Kernel 4.6 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

## Interface

External:	1 x USB 10 Gbps USB Type-C™ female
Internal:	1 x SATA 6 Gb/s 22 pin

## Technical characteristics

Chipset:	Asmedia ASM1351
Data transfer rate:	SuperSpeed USB 10 Gbps

## Physical characteristics

Housing material:	Aluminium
Cable length:	50 cm
Length:	125 mm
Width:	77 mm
Height:	15.5 mm
Colour:	black