

Delock Adapter cable for Laptop Charging Cable USB Type-C™ female to IBM 7.9 x 5.5 mm male 15 cm

Description

With this adapter cable by Delock a USB Type-C™ PD cable can be used to charge a laptop from a power source.

USB Type-C™ port

The charging cable can be connected to a corresponding laptop. A USB Type-C™ PD power supply can then be connected to the USB Type-C™ port. As the PD power supply units are significantly smaller and lighter than the original laptop power supply units, it is a practical addition for working on the move.

Note

For the Power Delivery mode, a USB cable with a corresponding fast charging function of at least 60 W and a PD power supply (20 V / 5 A, 20 V / 3 A) are mandatory.

Corresponding cables and power supply units from Delock are optionally available.



Item no. 60041

EAN: 4043619600410

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x USB Type-C™ female
 - 1 x IBM 7.9 x 5.5 mm male
- Colour: black
- Voltage: 19.5 V
- Output current: 3 A
- Length: ca. 15 cm

System requirements

- A free IBM 7.9 x 5.5 mm female port
- USB Type-C™ charging cable
- USB-PD power supply min. 60 W (19.5 V / 3 A)

Package content

- USB-C™ to IBM adapter cable

Images



Interface

| | |
|--------------|---------------------------|
| Connector 1: | 1 x USB Type-C™ female |
| Connector 2: | 1 x IBM 7.9 x 5.5 mm male |

Technical characteristics

| | |
|--------------------|------|
| Operating voltage: | 20 V |
|--------------------|------|

Physical characteristics

| | |
|-----------------|-------|
| Length: | 15 cm |
| Colour: | black |
| Cable diameter: | 4 mm |