


# Delock M12 Adapter X-coded 8 pin female to RJ45 jack Cat.6A STP shielded 90° angled

## Description

This industrial Ethernet adapter by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.

### Installation in switch cabinet

Due to its compact dimensions, the adapter is very well suited for installation in a switch cabinet. Devices with M12 connectors can be integrated into an existing network structure.



**Item no. 60088**

EAN: 4043619600885

Country of origin: China

Package: Poly bag

## Technical details

- Connectors:
  - 1 x M12 female 8 pin X-coded
  - 1 x RJ45 jack 90° angled
- Cat.6A specification
- Installation dimensions: 16.1 x 13.6 mm
- Housing material: PBT / metal
- Shielded (STP)
- M16 external thread
- Silicone sealing ring red
- Contacts gold-plated
- Operating voltage: max. 50 V
- Current:
  - M12: max. 0.5 A
  - RJ45: max. 1.5 A
- Operating temperature: -10 °C ~ 60 °C
- Protection class: IP67 (M12), IP20 (RJ45)
- Colour: black / silver
- Dimensions (LxWxH): ca. 46.3 x 23.9 x 22.4 mm


---

## Package content

- Adapter

---

## Images



## General

Specification:	Cat. 6A
Protection category:	IP67 IP20

## Interface

Connector 1:	1 x M12 female X-coded 8 pin
Connector 2:	1 x RJ45 jack 90° angled

## Technical characteristics

Operating voltage:	50 V
Operating temperature:	-10 °C ~ 60 °C

## Physical characteristics

Material:	metal PBT
Shielding:	STP
Length:	46.3 mm
Width:	23.9 mm
Height:	22.4 mm
Colour:	silver / black