



Delock USB Type-C[™] Adapter to HDMI 4K 60 Hz with USB Type-A and USB Type-C[™] Data + PD 92 W

Description

This adapter by Delock is suitable for the connection of a **HDMI monitor** to a computer with **USB-C™** interface and DisplayPort alternate mode support. Thus, the adapter can be connected to different laptops like MacBook, Chromebook and similar. In addition, the adapter can also be operated on a **Thunderbolt™ 3** or **Thunderbolt™ 4** interface.



USB Power Delivery (USB PD 3.0) support up to 92 watt

This adapter has a **USB Type-C™ Power Delivery** port. If this port is connected to the power supply of the laptop or tablet, the host device is charged with up to 92 watts during operation.

Item no. 61060

EAN: 4043619610600 Country of origin: China Package: Retail Box

Technical details

- · Connectors:
 - 1 x USB Type-C™ male
 - 1 x HDMI female
 - 1 x USB 5 Gbps Type-A female
 - 1 x USB 5 Gbps USB Type-CTM Power Delivery female
- DisplayPort 1.4 and High Speed HDMI with Ethernet (HEC) specification
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Output power for host: max. 92 W
- Supports 3D displays
- Supports HDR
- Supports HDCP 1.4 and 2.2
- · USB bus powered
- Plug & Play
- Metal housing
- Cable length without connectors: ca. 20 cm
- · Colour: grey



System requirements

- Android 11.0 or above
- Chrome OS
- Linux Kernel 5.13 or above
- Mac OS 12.3.1 or above
- Windows 10/10-64/11
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Surface Pro 7
- Device with a free USB Type-C[™] port and DisplayPort alternate mode or with a free Thunderbolt[™] 3 or Thunderbolt[™] 4 port

Package content

- USB-CTM to HDMI Adapter + USB
- User manual

Images







General

| Function: | Plug & Play |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Supported operating system: | Chrome OS Surface Pro 7 Windows 10 32-Bit Windows 10 64-Bit iPad Pro (3rd Generation) or above iPad Air (4th Generation) or above Windows 11 Linux Kernel 5.13 or above Mac OS 12.3.1 or above Android 11.0 or above |

Interface

| Connector 1: | 1 x USB Type-C™ male |
|--------------|--------------------------------------------------|
| Connector 2: | 1 x HDMI female |
| connector 3: | 1 x USB 5 Gbps Type-A female |
| connector 4: | 1 x USB 5 Gbps USB Type-C™ Power Delivery female |

Technical characteristics

| Maximum screen resolution: | 3840 x 2160 @ 60 Hz |
|----------------------------|---------------------|
| Signal transmission: | video audio |

Physical characteristics

| Housing material: | Aluminium |
|-------------------|---------------------------|
| Cable length: | 20 cm (without connector) |
| Colour: | grey |