

# Delock USB Type-C™ Converter to 22 pin SATA 6 Gb/s

## Description

This Delock converter can be connected via **USB-C™** interface to a PC or laptop. Thus a **2.5" SATA HDD or SSD** with a 22 pin SATA interface can be used.



50 cm

**Item no. 63803**

EAN: 4043619638031

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x USB 10 Gbps USB Type-C™ male
  - 1 x SATA 6 Gb/s 22 pin receptacle
- Chipset: Asmedia ASM235CM
- Suitable for 2.5" SATA HDD / SSD
- Supports SATA 1.5 Gb/s, SATA 3 Gb/s and SATA 6 Gb/s
- Data transfer rate up to 6 Gb/s
- Cable gauge: 32 AWG
- Plug & Play
- Length incl. connectors: ca. 50 cm

## System requirements

- Chrome OS
- iPad Air (4th Generation) or above
- Linux Kernel 5.8 or above
- Mac OS 10.15.7 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-C™ port

---

## Package content

- Converter USB Type-C™ - SATA 6 Gb/s

---

## Images



## General

Function:	Plug & Play
Suitable for data medium:	2.5" SSD or HDD
Supported operating system:	Chrome OS Linux Kernel 5.8.0 or above Mac OS 10.15.7 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Air (4th Generation) or above

## Interface

Connector 1:	1 x USB 10 Gbps USB Type-C™ male
Connector 2:	1 x SATA 6 Gb/s 22 pin receptacle

## Technical characteristics

Chipset:	Asmedia ASM235CM
----------	------------------

## Physical characteristics

Cable length incl. connector:	50 cm
Conductor gauge:	32 AWG