

# Delock Adapter for Apple power supply with PD and QC 3.0

## Description

This adapter by Delock can be plugged onto an Apple power supply, e.g. the MacBook Pro, and expands the power supply to **four charging ports**. This allows several USB devices to be charged at the same time.

### Firm hold on power supply

Due to the USB Type-C™ plug and the retainer on the sides, the adapter has a **firm hold on the power supply**.

### PD and QC 3.0

After plugged into the power supply, four USB charging ports are available, one USB-C™ female with PD function, one **Quick Charge 3.0** USB Type-A female and two USB Type-A BC1.2 female.

## Note

When using the PD and the QC port simultaneously, only 5 V are available at the QC port.



**Item no. 64079**

EAN: 4043619640799

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x USB Type-C™ male
  - 1 x USB Type-C™ Power Delivery female
  - 1 x USB Type-A female QC 3.0
  - 2 x USB Type-A female - Battery Charging specification BC1.2
- USB Power Delivery (PD) 3.0
- Output:
  - USB Type-C™ Power Delivery (PD):  
5 V / 3 A, 9 V / 3 A, / 12 V / 3 A, 15 V / 3 A, 20 V / 2.25 A
  - USB Type-A Qualcomm Quick Charge 3.0:  
3.6 ~ 6.5 V / 3 A, 6.5 ~ 9 V / 2 A, 9 V ~ 12 V / 1.5 A
  - USB Type-A female with BC1.2 5 V / 2.4 A
- Overload protection

- Over current protection
- Overheating protection
- Short circuit protection
- 1 x LED indicator
- Colour: white
- Dimensions (LxWxH): ca. 74 x 59 x 34 mm

---

## System requirements

- Apple 61, 87 or 96 watt power supply with USB-C™ female

---

## Package content

- Adapter
- User manual

---

## Images



## General

LED indicator:	1 x
----------------	-----

## Interface

Connector 1:	1 x USB Type-C™ male
Connector 2:	1 x USB Type-A female QC 3.0
connector 3:	1 x USB Type-C™ Power Delivery female
connector 4:	2 x USB Type-A female - Battery Charging specification BC1.2

## Physical characteristics

Colour:	white
---------	-------