

# Delock 3.5" USB 3.2 Gen 1 Front Panel 2 x USB Type-A + HD-Audio

## Description

This front panel by Delock can be installed into a free 3.5" bay of a computer. It has two USB 3.2 Gen 1 and two HD-Audio ports. The connecting cables will be connected internally to the motherboard.



**Item no. 64150**

EAN: 4043619641505

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - external:
    - 2 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
    - 1 x 3.5 mm 3 pin stereo jack female microphone (HD-Audio)
    - 1 x 3.5 mm 3 pin stereo jack female headset (HD-Audio)
  - internal:
    - 1 x 19 pin USB pin header female port on the cable
    - 1 x 9 pin HD-Audio pin header male
- Data transfer rate up to:
  - SuperSpeed 5 Gbps,
  - Hi-Speed 480 Mbps,
  - Full-Speed 12 Mbps,
  - Low-Speed 1.5 Mbps
- Cable data:
  - 1 x 19 pin USB pin header female cable ca. 60 cm (incl. connector)
  - 1 x 9 pin HD-Audio pin header female cable ca. 62 cm (incl. connector)
- 3.5" metal frame
- Colour: black
- Hot Swap, Plug & Play

- OS independent, no driver installation necessary

---

## System requirements

- PC with one free 3.5" bay
- Motherboard with a free 19 pin USB pin header male
- Motherboard with a free 9 pin HD-Audio pin header male

---

## Package content

- 3.5" front panel
- HD-Audio pin header female cable
- Screws
- User manual

---

## Images



## General

Form factor:	3.5"
Function:	Hot Swap Plug & Play
Supported operating system:	OS independent, no driver installation necessary

## Interface

External:	1 x 3.5 mm 3 pin stereo jack female microphone (HD-Audio) 1 x 3.5 mm 3 pin stereo jack female headset (HD-Audio) 2 x USB 5 Gbps Type-A female
Internal:	1 x 19 pin USB 5 Gbps pin header female 1 x 9 pin HD-Audio pin header male

## Technical characteristics

Data transfer rate:	USB 3.2 Gen 1 up to 5 Gbps
---------------------	----------------------------

## Physical characteristics

Housing material:	metal
Colour:	black