

# Delock USB 3.2 Gen 1 USB Type-C™ Hub with 3 x USB Type-C™ female + 1 x USB Type-C™ PD 100 Watt

## Description

The USB hub by Delock is the mobile companion for laptops or tablets **with USB Type-C™** connection. Up to **3 USB Type-C™ devices** can be connected to the hub.

## USB Power Delivery (USB PD 3.0) support up to 100 watt

The hub has a USB Type-C™ Power Delivery port to connect the laptop or tablet to charge it. The hub can also be used without a power supply.

## Small sturdy helper

Due to its **small dimensions and its sturdy housing**, this Delock Hub is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.

## Note

DisplayPort Alternate Mode (DP Alt Mode) is not supported, so no video signals are transmitted and no monitors can be connected.



15 cm

**Item no. 64174**

EAN: 4043619641741

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) USB Type-C™ male
  - 3 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) USB Type-C™ female
  - 1 x USB Type-C™ Power Delivery female
- Chipset: Renesas D720210, VIA VL102
- Data transfer rate up to:
  - SuperSpeed USB 5 Gbps,
  - Hi-Speed 480 Mbps,
  - Full-Speed 12 Mbps,
  - Low-Speed 1.5 Mbps
- Electrical power per port: max. 7.5 watt (5 V / 1.5 A)
- Electrical power in total: max. 10 watt (5 V / 2 A)

- Plug & Play
- Housing material: aluminium
- Colour: black
- Cable length without connectors: ca. 15 cm
- Dimensions (LxWxH): ca. 77 x 43 x 11 mm

---

## System requirements

- Linux Kernel 5.11 or above
- Mac OS 12.3.1 or above
- Windows 8.1/8.1-64/10/10-64/11
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Surface Pro 7
- PC or laptop with a free USB Type-C™ or Thunderbolt™ 3 port

---

## Package content

- USB hub
- User manual

---

## Images



## General

Function:	Plug & Play
Supported operating system:	Surface Pro 7 Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Pro (3rd Generation) or above iPad Air (4th Generation) or above Windows 11 Linux Kernel 5.11 or above Mac OS 12.3.1 or above

## Interface

Connector 1:	1 x USB 5 Gbps USB Type-C™ male
Connector 2:	3 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) USB Type-C™ female
connector 3:	1 x USB Type-C™ Power Delivery female

## Technical characteristics

Chipset:	VIA VL102 Renesas D720210
Data transfer rate:	5 Gbps

## Physical characteristics

Length:	77 mm
Width:	43 mm
Height:	11 m
Colour:	black
Cable length without connectors:	15 cm