

Delock 19" Industry Hub 10 x USB 10 Gbps Type-A

Description

This solid industry capable USB hub by Delock with metal housing can be connected to a computer via the USB Type-A interface. It expands the computer by 10 USB Type-A ports. The hub can be used for automation and office applications.

19" rack mounting

With the supplied mounting brackets, the hub can be mounted in a 19" rack.



Item no. 64240

EAN: 4043619642403

Country of origin: China

Package: Box

Technical details

- Connectors:
 - 1 x USB 10 Gbps Type-B female
 - 10 x USB 10 Gbps Type-A female
 - 1 x 5 V DC jack 5.5 x 2.1 mm
- Chipset: VIA VL822
- Data transfer rate up to 10 Gbps
- Robust metal housing
- Removable 19" rack brackets
- LED indicator for power
- Operating temperature: 0 °C ~ 60 °C
- Dimensions (LxWxH): ca. 440 x 135 x 45 mm
- Colour: black
- Plug & Play

Power supply specification

- Power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 1.5 A
- Output: 5.0 V / 6.0 A / 30.0 W
- Ground outside, plus inside
- Dimensions:
 - inside: ø ca. 2.1 mm
 - outside: ø ca. 5.5 mm

length: ca. 9 mm

System requirements

- Linux Kernel 5.15 or above
- Mac OS 12.4 or above
- Windows 10/10-64/11
- PC or laptop with a free USB Type-A port

Package content

- Hub USB
- 1 x cable USB A male to USB B male, length ca. 1.20 m
- 2 x mounting brackets for 19" rack
- Power supply
- User manual

Images



General

Function:	Hot Swap Plug & Play
Mounting type:	19 in
Supported operating system:	Chrome OS Windows 10 32-Bit Windows 10 64-Bit Windows 11 Mac OS 12.4 oder höher Linux Kernel 5.15 or above
LED indicator:	Power

Interface

Connector 1:	1 x USB 10 Gbps Type-B female
Connector 2:	10 x USB 10 Gbps Typ-A Buchse
connector 3:	1 x DC jack

Technical characteristics

Data transfer rate:	USB 10 Gbps up to 10 Gb/s
---------------------	---------------------------

Physical characteristics

Length:	440 mm
Width:	135 mm
Height:	45 mm
Colour:	black

Power supply

Type:	Power supply with IEC connector
Output:	5,0 V / 6,0 A
Connector:	DC male 5.5 mm x 2.1 mm