

Delock Adapter D-Sub 9 pin male to Terminal Block 9 pin with Push Button

Description

This terminal block adapter by Delock can be used to connect bare wires. Thus the adapter is not only convenient for special industry applications, but also for the hobby area, e.g. railway modelling.



Item no. 66321

EAN: 4043619663217

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x serial D-Sub 9 male with screws
 - 1 x 9 pin terminal block with push button
- Pin assignment: 1:1
- Pitch: 2.54 mm
- Useable for a cable gauge from 26 to 20 AWG
- Operating temperature: -20 °C ~ 70 °C
- Dimensions (LxWxH): ca. 36 x 31 x 17 mm


System requirements

- A free D-Sub 9 pin female

Package content

- Adapter

Images



Interface

| | |
|--------------|---|
| Connector 1: | 1 x serial Sub-D 9 male with screws |
| Connector 2: | 1 x 9 pin terminal block with push-button |

Technical characteristics

| | |
|------------------------|----------------|
| Operating temperature: | -20 °C ~ 70 °C |
|------------------------|----------------|

Physical characteristics

| | |
|------------------|-------------|
| Pitch distance: | 2.54 mm |
| Conductor gauge: | 26 - 20 AWG |
| Length: | 36 mm |
| Width: | 31 mm |
| Height: | 17 mm |