

# Delock Keystone Holder 8 port tiltable for DIN rail or wall mounting

## Description

This Keystone holder by Delock can be mounted to a 35 mm DIN rail or wall. With its standardized dimensions, it is suitable for easy snap-in mounting of 8 Keystone modules.

### With tiltable Keystone ports

The tiltable Keystone ports allow for an angled and space saving installation of cables e.g. in switch cabinets or distribution panels.

### With ground connection

The holder has a grounding connection to allow electrical currents to be discharged easily.

## Note

Due to the design only keystone modules up to max. 17.5 mm width can be used. Keystone modules are not included in the package content.



**Item no. 67039**

EAN: 4043619670390

Country of origin: China

Package: Box

## Technical details

- Mounting for 35 mm DIN rail
- 8 Keystone ports 19.2 x 14.9 mm
- Tiltable bearing 30° of the Keystone modules
- Wall mounting
- 2 x mounting holes
- Mounting hole diameter: ca. 3.8 mm
- Pitch of screw hole: ca. 162.9 mm
- With ground connection
- With port numbering
- Operating temperature: -10 °C ~ 60 °C
- Material: metal / plastic
- Dimensions (LxWxH): ca. 154 x 78 x 55 mm

## Package content

- Keystone mounting
- Ground wire
- Mounting material

---

## Images



## General

Mounting type:	DIN rail 35 mm Wall mounting
----------------	---------------------------------

## Technical characteristics

Operating temperature:	-10 °C ~ 60 °C
------------------------	----------------

## Physical characteristics

Material:	metal / plastic
Length:	154 mm
Width:	78 mm
Height:	55 mm