

Delock Cable connector LSA to LSA Cat.6A IP68 dust and waterproof black

Description

This cable connector by Delock can be used to connect or extend two unassembled patch cables using LSA connection and is ideal for outdoor and industry applications.

IP68 dust and waterproof

The coupler offers increased protection against dirt and moisture for the connection of the network cables.



Item no. 67045

EAN: 4043619670451

Country of origin: China

Package: Poly bag

Technical details

- Connectors:
 - 1 x LSA (toolfree)
 - 1 x LSA (toolfree)
- 1:1 connected
- Cat.6A specification
- Shielded (STP)
- TIA-568A/TIA-568B/industrial pinout
- Protection class: IP68
- For solid or stranded wire (26 - 22 AWG)
- For cable diameter from 4 - 6 mm
- Operating temperature: -10 °C ~ 60 °C
- Material: plastic
- Colour: black
- Dimensions (LxWxH): ca. 112 x 36 x 36 mm

Package content

- Cable connector
- 2 x cable manager
- 2 x cable tie

Images



General

| | |
|-------------------------------|-------------|
| Suitable for conductor gauge: | 26 - 22 AWG |
| Specification: | Cat. 6A |
| Protection category: | IP68 |

Interface

| | |
|--------------|--------------------|
| Connector 1: | 1 x LSA (toolfree) |
| Connector 2: | 1 x LSA (toolfree) |

Technical characteristics

| | |
|------------------------|----------------|
| Operating temperature: | -10 °C ~ 60 °C |
|------------------------|----------------|

Physical characteristics

| | |
|-----------------|----------|
| Length: | 112 mm |
| Width: | 36 mm |
| Height: | 36 mm |
| Colour: | black |
| Cable diameter: | 4 - 6 mm |