

# Delock Slot bracket 1 x 19 pin USB 3.0 pin header female internal > 2 x USB 3.0 Type-A female external

## Description

This slot bracket by Delock expands the PC by two USB 3.0 Type-A female ports. The cable of the slot bracket can be connected internally to the motherboard with a 19 pin USB 3.0 pin header. Thus the internal connection will be lead outside, in order to connect devices with USB Type-A connector to the computer.



50 cm

**Item no. 84836**

EAN: 4043619848362

Country of origin: China

Package: Zip poly bag

## Technical details

- Connector:  
internal: 1 x 19 pin USB 3.0 pin header female  
external: 2 x USB 3.0 Type-A female
- Pitch distance: 2.00 mm
- Screw type: #4-40 UNC
- Cable gauge:  
28 AWG data line  
24 AWG power line
- Cable diameter: ca. 5.5 mm
- Data transfer rate up to 5 Gbps
- Slot bracket: standard
- Cable colour: black
- Cable length without connector: ca. 50 cm

## System requirements

- PC with one free slot

- Mainboard with a free 19 pin USB 3.0 pin header male
- 

## Package content

- Slot bracket
- 

## Images



50 cm

### Interface

External:	2 x USB 5 Gbps Type-A female
Internal:	1 x 19 pin USB 5 Gbps pin header female

### Technical characteristics

Data transfer rate:	5 Gbps
---------------------	--------

### Physical characteristics

Pitch distance:	2.00 mm
Cable colour:	black
Cable length:	50 cm
Conductor gauge:	28 AWG data line 24 AWG power line
Screw type:	#4-40 UNC
Slot bracket:	standard