

# Delock USB-C™, HDMI or mini DisplayPort to 4K HDMI Adapter Cable 1.8 m

## Description

This adapter cable by Delock can be used to connect a projector or monitor with HDMI input to a laptop with **HDMI**, **USB Type-C™** or **mini DisplayPort** interface.

### Ideal for conference room

By using this cable solution, no additional adapter is required in the **conference room**. The corresponding connector can be used depending on the user's requirements. The adapter can also be used in **classrooms or lecture theatres**, where the tutor can simply connect the laptop to the appropriate port.

### HDMI Ultra HD resolution

The HDMI output supports a maximum resolution of up to **3840 x 2160** pixels at 60 Hz, furthermore the audio signals can also be transmitted.



1,8 m

**Item no. 85830**

EAN: 4043619858309

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - Input:
    - 1 x USB Type-C™ male
    - 1 x HDMI-A male
    - 1 x mini DisplayPort male
    - 1 x USB Type Micro-B female (5 V power supply - DisplayPort and HDMI)
  - Output:
    - 1 x HDMI-A male
- Chipset: ITE IT66351, IT6350E, IT6563FN, Realtek RTD2172U
- Resolution up to 3840 x 2160 @ 60 Hz  
(depending on the system and the connected hardware)
- Transmission of audio and video signals
- LED indicator for active port
- Colour: black
- Cable length input: ca. 30 cm
- Cable length output: ca. 145 cm

---

## System requirements

- Android 8.0 or above
- Chrome OS 72.0 or above
- iPad Pro (2018)
- Linux Kernel 4.3 or above
- Mac OS 10.9.5 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Device with a free USB Type-C™ port and DisplayPort alternate mode or with a free Thunderbolt™ 3 port or
- A free HDMI female or
- A free mini DisplayPort female


---

## Package content

- Adapter cable
- USB power cable, length: ca. 0.5 m
- User manual

---

## Images



## General

|                             |                                                                                                                                                                                                                                                         |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Supported operating system: | Android 8.0 or above<br>Chrome OS 72.0 or above<br>Linux Kernel 4.3 or above<br>Mac OS 10.9.5 or above<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 7 32-Bit<br>Windows 7 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>iPad Pro (2018) |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Interface

|         |                                                                             |
|---------|-----------------------------------------------------------------------------|
| Output: | 1 x HDMI-A male                                                             |
| Input:  | 1 x HDMI-A male<br>1 x mini DisplayPort 20 pin male<br>1 x USB Type-C™ male |

## Technical characteristics

|                            |                     |
|----------------------------|---------------------|
| Maximum screen resolution: | 3840 x 2160 @ 60 Hz |
|----------------------------|---------------------|

## Physical characteristics

|               |                                        |
|---------------|----------------------------------------|
| Cable length: | input: ca. 30 cm<br>output: ca. 145 cm |
| Colour:       | black                                  |