

Delock USB 3.2 Gen 2 FPC Flat Ribbon Cable USB Type-C™ to USB Type-C™ 13 cm PD 5 A E-Marker

Description

This USB cable by Delock enables the connection between a device with a **USB Type-C™** connector and a PC or a laptop equipped with a free **USB Type-C™** port.

Ultra flexible cable

The cable is characterized by its special construction. Instead of normal copper wires there is a flexible circuit board inside the cable, which is also called **FPC (Flexible Printed Circuit)**. This makes the cable extremely flexible and yet robust. It is particularly suitable for charging smartphones via a power bank on the go.



13 cm

Item no. 86939

EAN: 4043619869398

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ male
 - 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ male
- Chipset: VL152 E-Marker
- FPC (Flexible Printed Circuit) flat ribbon cable
- Output current: up to 5 A
- Voltage: max. 20 V
- Cable thickness: ca. 3 mm
- Data transfer rate up to SuperSpeed USB 10 Gbps
- Colour: silver / black
- Length incl. connectors: ca. 13 cm

System requirements

- PC or laptop with a free USB Type-C™ port
- Device with USB Type-C™ port

Package content

- SuperSpeed USB 10 Gbps cable

Images



General

| | |
|--------|------------|
| Style: | Flat cable |
|--------|------------|

Interface

| | |
|--------------|----------------------------------|
| Connector 1: | 1 x USB 10 Gbps USB Type-C™ male |
| Connector 2: | 1 x USB 10 Gbps USB Type-C™ male |

Technical characteristics

| | |
|---------------------|---------|
| Chipset: | VL152 |
| Data transfer rate: | 10 Gbps |
| Maximum current: | 5 A |
| Voltage: | 20 V |

Physical characteristics

| | |
|---------|----------------|
| Length: | 13 cm |
| Colour: | silver / black |