

# Delock HDMI Cable 4K 60 Hz with DC feed 2.1 x 5.5 mm 0.30 m panel-mount

## **Description**

This HDMI cable by Delock is designed to provide a HDMI female port. Via the additional DC connector, it is possible to feed in power. By using active adapters, a constant power supply can be guaranteed.

#### **Note**

If power is supplied via the DC connector, the signal can only be transmitted in one direction. Without external power supply the cable can be used bidirectional.



### Item no. 87038

EAN: 4043619870387 Country of origin: China Package: Zip poly bag

#### **Technical details**

- Connectors:
  - 1 x HDMI female
  - 1 x HDMI female + 1 x 5 V DC jack 2.1 x 5.5 mm
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Supports CEC 2.0 control commands
- Supports HDCP 2.2 (High-Bandwidth Digital Content Protection)
- Supports HDR
- Input voltage: 5 V
- Material: PC plastic
- Mounting hole: ca. 21.5 x 12.5 mm, screw hole pitch ca. 28 mm
- Length incl. connectors (L): ca. 0.3 m
- · Colour: black

## System requirements

A free HDMI male port





# Package content

• HDMI cable

## **Images**







## Interface

Connector 1:	1 x HDMI-A female
Connector 2:	1 x DC 5.5 x 2.1 mm female 1 x HDMI-A female

## **Technical characteristics**

Maximum screen resolution:	3840 x 2160 @ 60 Hz
----------------------------	---------------------

# **Physical characteristics**

Length:	0.3 m
Colour:	black