


# Delock PCI Express x4 Card to 4 x external SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) USB Type-A female Quad Channel - Low Profile Form Factor

#### **Description**

The PCI Express card by Delock expands a PC by four external USB 3.0 ports. Each port is supported by a single Renesas chip, which provides a high data transfer rate. Different USB devices such as docking stations, card reader, external enclosure etc. can be connected. Due to the vertical direction of the USB 3.0 ports, it is possible to install it into a low profile slot.



Item no. 89008

EAN: 4043619890088 Country of origin: China

Package: Box

#### **Technical details**

• Connectors:

external:

4 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female internal:

1 x PCI Express x4, V2.0

1 x SATA power connector

1 x Molex 4 pin power connector

- Chipset: 4 x Renesas uPD720202
- Data transfer rate up to:

SuperSpeed 5 Gbps,

Hi-Speed 480 Mbps,

Full-Speed 12 Mbps,

Low-Speed 1.5 Mbps

Bootable

#### **System requirements**





- Linux Kernel 3.3 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

### **Package content**

- PCI Express card USB 3.0
- Low profile bracket
- User manual

### **Images**











#### General

Form factor:	Low Profile
Function:	bootable
Supported operating system:	Linux Kernel 3.3 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11

### Interface

External:	4 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female
Internal:	1 x PCI Express x4, V2.0 1 x 4 pin power connector 1 x SATA 15 pin power connector

### **Technical characteristics**

Chipset:	Renesas uPD720202
Data transfer rate:	5 Gbps

## **Physical characteristics**

Slot bracket:	Low Profile
	standard