


Delock 6 port SATA PCI Express x4 Card - Low Profile Form Factor

Description

The PCI Express card by Delock expands a PC by **six internal SATA ports**. Different devices such as SSDs, hard drives, DVD-drives etc. can be connected to the card.



Item no. 89042

EAN: 4043619890422

Country of origin: Taiwan,
Republic of China

Package: Retail Box

Technical details

- Connectors:
 - internal:
 - 6 x SATA 6 Gb/s 7 pin plug
 - 1 x PCI Express x4 (2-Lane), V3.0
 - 6 x 2 pin pin header for LED
- Chipset: Asmedia ASM1166
- Supports Native Command Queuing (NCQ)
- Supports S.M.A.R.T.
- Supports TRIM
- Supports DevSleep
- Supports SATA Port Multiplier
- Hot Plug
- Bootable

System requirements


- Linux Kernel 4.6.4 or above

- Windows 8.1/8.1-64/10/10-64
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

Package content

- PCI Express card
- Low profile bracket
- User manual

Images



General

Supported operating system:	Linux Kernel 4.6.4 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
LED indicator:	6 x

Interface

Internal:	1 x PCI Express x4 (2-Lane), V3.0 6 x SATA 6 Gb/s 7 pin plug 6 x 2 pin pin header for LED
-----------	---

Technical characteristics

Chipset:	Asmedia ASM1166
Data transfer rate:	6 Gb/s

Physical characteristics

Slot bracket:	Low Profile standard
---------------	-------------------------