


# Delock PCI Card > 4 x Serial RS-232

## Description

The PCI card by Delock expands a PC by four external serial ports. Different devices such as scanner, printer, mouse etc. can be connected to this card.



**Item no. 89046**

EAN: 4043619890460

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - external:
    - 2 x serial RS-232 DB9 male
    - 2 x serial RS-232 DB9 male (separate rear bracket)
  - internal:
    - 2 x 9 pin COM port pin header male
    - 1 x 32-Bit PCI standard 2.1
- Chipset: Moschip MCS9845
- Data transfer rate up to 115.2 Kbps
- FIFO: 16 byte
- Automatically selects IRQ and I/O
- Compatible with 16C550 UART
- Supports PCI IQR sharing
- Operating temperature: 0 °C ~ 70 °C
- Dimensions (LxW): ca. 119.9 x 73.7 mm


## System requirements

- Windows XP/XP-64/Server-2003/Vista/Vista-64/7/7-64/8.1/8.1-64/10/10-64/11, Linux Kernel 2.6
- PC with one free PCI slot and one rear slot

## Package content

- PCI card
- Slot bracket
- Driver CD
- User manual

## Images



## General

Supported operating system:	Linux Kernel 2.6 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2003 32-bit Windows Server 2003 64-bit Windows Vista 32-bit Windows Vista 64-bit Windows XP 32-bit Windows 11
-----------------------------	--

## Interface

External:	1 x Serial RS-232 DB9 plug
Internal:	1 x 32-Bit PCI standard 2.1 2 x 9 pin Serial RS-232 pin header male

## Technical characteristics

Chipset:	Moschip MCS9845
Data transfer rate:	115.2 Kb/s
FIFO:	16 byte
UART:	16C550

## Physical characteristics

Slot bracket:	standard
---------------	----------