

Delock Antenna Cable N plug > SMA plug CFD200 15 m low loss

Description

This high-quality coaxial cable ensures a reliable connection of components of the radio frequency technology. It is characterised by a very low attenuation.



Item no. 89516

EAN: 4043619895168 Country of origin: Taiwan, Republic of China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x N plug
 - 1 x SMA plug
- Cable type: CFD200
- Cable attenuation:

0.55 dB @ 2.5 GHz per meter

0.86 dB @ 5.8 GHz per meter

• Impedance: 50 Ohm

• Cable diameter: ca. 4.8 mm

• Cable colour: black

• Cable length incl. connectors: ca. 15 m

System requirements

• Device with a free N jack or with SMA jack






Package content

• Antenna cable

Images







Interface

Connector 1:	1 x N male
Connector 2:	1 x SMA plug

Technical characteristics

Impedance:	50 Ω		
------------	------	--	--

Physical characteristics

Cable category:	coaxial
Cable type:	CFD200
Cable attenuation:	0.55 dB @ 2.4 GHz per meter 0.86 dB @ 5.8GHz per meter
Cable colour:	black
Cable length incl. connector:	15 m
Smallest bending radius:	12.7 mm