


# Delock PCI Express x1 Card to 2 x Serial RS-232

## Description

The PCI Express card by Delock expands a PC by two external serial ports. Different devices such as scanner, printer, mouse etc. can be connected to this card. By using the included low profile brackets, the PCI Express card can be also installed into a Mini-PC.



**Item no. 89555**

EAN: 4043619895557

Country of origin: China

Package: Retail Box

## Technical details

- Connector:  
external: 2 x serial RS-232 DB9 male  
internal: 1 x PCI Express x1, V2.0
- Chipset: ASIX AX99100
- Data transfer rate up to 230.4 Kb/s
- FIFO: 4 x 256 byte
- Data bit: 5, 6, 7, 8, 9
- Compatible with 16C950 UART
- Dimensions (LxWxH): ca. 97 x 51 x 21 mm

## System requirements


- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- PC with one free PCI Express slot

## Package content

- PCI Express card

- 2 x low profile bracket
- Driver CD
- User manual

## Images



## General

Form factor:	Low Profile
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11
Slot:	PCIe

## Interface

External:	2 x serial RS-232 DB9 plug
Internal:	1 x PCI Express x1, V2.0

## Technical characteristics

Chipset:	ASIX AX99100
Data transfer rate:	up to 230.4 Kb/s
FIFO:	256 Byte
UART:	16C950

## Physical characteristics

Slot bracket:	Low Profile standard
---------------	----------------------