


# Delock PCI Express x1 Card 2 x RJ45 Gigabit LAN RTL8111

## Description

The PCI Express card by Delock offers two network ports with a data transfer rate up to 1000 Mbps.



**Item no. 89999**

EAN: 4043619899999

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - external: 2 x Gigabit LAN RJ45 jack
  - internal: 1 x PCI Express x1, V1.1
- Chipset: Realtek RTL8111H, ASMedia ASM1182e
- Data transfer rate:
  - Ethernet up to 10 Mbps (Half/Full Duplex)
  - Fast Ethernet up to 100 Mbps (Half/Full Duplex)
  - Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)
  - PCI Express x1 up to 2.5 Gbps
- Compatible with IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
- Supports Wake On LAN (WOL)
- Supports IEEE 802.1P layer 2 priority encoding
- Supports IEEE 802.3x full duplex flow control
- Supports IEEE 802.1Q Virtual LAN (VLAN)

## System requirements

- Linux Kernel 3.10 or above
- Mac OS 10.5 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC with one free PCI Express slot


---

## Package content

- PCI Express card
- Low profile bracket
- Driver CD
- User manual

---

## Images



## General

Supported operating system:	Linux Kernel 3.10 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11
-----------------------------	--

## Interface

External:	2 x Gigabit LAN RJ45 jack
Internal:	1 x PCI Express x1, V1.1

## Technical characteristics

Chipset:	Realtek RTL8111H
Data transfer rate:	Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps

## Physical characteristics

Slot bracket:	Low Profile standard
---------------	----------------------