


# Delock PCI Express x1 Card to 1 x external USB Type-C™ female PD 30 W + 2 x external USB Type-A female USB 5 Gbps

## Description

This PCI Express card by Delock expands the PC by **three external USB 5 Gbps ports**. Different USB devices such as USB flash memory, card reader, external enclosure etc. can be connected.

### Power Delivery (PD) at the USB-C™ port

The USB Type-C™ port supports the **Power Delivery function**. This allows connected devices such as smartphones, tablets and even laptops to be charged.



**Item no. 90229**

EAN: 4043619902293

Country of origin: China

Package: Box

## Technical details

- Connectors:
  - external:
    - 1 x USB 5 Gbps USB Type-C™ female (data transmission + Power Delivery)
    - 2 x USB 5 Gbps Type-A female
  - internal:
    - 1 x 6 pin power female
    - 1 x PCI Express x1, V2.0
- Chipset: VIA VL805
- Data transfer rate up to 5 Gbps
- Power supply via 6 pin power connector
- Electrical power per port:
  - USB Type-C™: max. 30 watt (20 V / 1.5 A)
  - USB Type-A: max. 4.5 watt (5 V / 0.9 A)

## System requirements

- Linux Kernel 6.2 or above
- Windows 10/10-64/11
- PC with one free PCI Express slot
- Power supply with 6 pin PCIe power supply connector

---

## Package content

- PCI Express card USB 5 Gbps
- Low profile bracket
- User manual

---

## Images



## General

Form factor:	Low Profile
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 Linux Kernel 6.2 or above

## Interface

External:	2 x USB 5 Gbps Type-A female 1 x USB 5 Gbps USB Type-C™ female (data transmission + Power Delivery)
Internal:	1 x 6 pin power connector 1 x PCI Express x1, V2.0

## Technical characteristics

Chipset:	VIA VL805
Data transfer rate:	5 Gbps
Maximum output power:	20 V / 1,5 A 5 V / 0.9 A