


Delock Adapter HSD Z male to HSD Z male

Description

This adapter by Delock is suitable for connecting components of electronic technology and electronic in vehicles.



Item no. 90339

EAN: 4043619903399

Country of origin: Taiwan, Republic of China

Package: Zip poly bag

Technical details

- Connector:
 - 1 x HSD Z male >
 - 1 x HSD Z plug
- HSD Z: RAL 5021 Water blue
- Pin: phosphorus bronze gold plated
- Insulator: LCP

- Impedance: 100 Ohm
- Frequency range: DC - 6 GHz
- Plastic shell: PA66
- Dimensions (LxWxH): ca. 42.5 x 14.3 x 12.0 mm

System requirements

- Device with one free HSD port

Package content

- HSD adapter

Images



Interface

| | |
|--------------|--------------|
| Connector 1: | 1 x HSD male |
| Connector 2: | 1 x HSD male |

Technical characteristics

| | |
|------------------|-----------|
| Frequency range: | 0 - 6 GHz |
|------------------|-----------|

Physical characteristics

| | |
|----------------------|---------|
| Material dielectric: | PA |
| Material ferrule: | brass |
| Material pin: | brass |
| Length: | 42.5 mm |
| Width: | 12.0 mm |
| Height: | 14.3 mm |