


Delock PCI Express x4 Card to 1 x M.3 / NF1 Slot - Low Profile Form Factor

Description

This PCI Express card by Delock expands the PC by one **M.3 / NF1** (NGSFF) slot. One M.3 module with 110 mm length and 30 mm width can be connected.

Cooling for the SSD

For better cooling, the PCB of the PCIe card has a recess, which is located directly under the inserted SSD. Thus it is possible that an optional heat sink can be mounted on the bottom of the SSD.



Item no. 90401

EAN: 4043619904013

Country of origin: Taiwan,
Republic of China

Package: White Box

Technical details

- Connectors:
internal:
1 x M.3 / NF1 slot
1 x PCI Express x4, V3.0
- Interface: PCIe / NVMe
- Supports M.3 / NF1 modules in format 30110
- Supports M.3 / NF1 SSD up to 4.8 mm thickness
- Supports NVM Express (NVMe)
- Bootable, ex UEFI version 2.3.1
- OS independent, no driver installation necessary


System requirements

- PC with one free PCI Express x4 / x8 / x16 / x32 slot

Package content

- PCI Express card
- Low profile bracket
- 1 x fixing screw
- User manual

Images



General

Function:	Bootable, ex UEFI 2.3.1 NVM Express (NVMe)
Supported operating system:	OS independent, no driver installation necessary
Slot:	PCIe

Interface

Internal:	1 x PCI Express x4, V3.0 1 x M.3 / NF1 slot
-----------	--