

# Delock Shield Clamp for Busbar - Cable diameter 5 - 11 mm

## Description

With this shield clamp by Delock a cable with a diameter of 5 - 11 mm can be attached to a 10 mm busbar. The clamp can also be used as an EMC shield. In this case, unwanted electrical or electromagnetic effects are dissipated from the busbar.

## Application

To fasten a cable to the shield clamp, the spring must be pushed up and the cable is securely clamped into the clamp.



**Item no. 66445**

EAN: 4043619664450

Country of origin: China

Package: Zip poly bag

## Technical details

- Busbar mounting: 10 mm
- Cable diameter:
  - min.: 5 mm
  - max.: 11 mm
- Material: metal
- Dimensions (LxWxH): ca. 36 x 25 x 17 mm


## System requirements

- Busbar 10 mm

## Package content

- Shield clamp

## Images



## General

|                |                        |
|----------------|------------------------|
| Mounting type: | Busbar mounting: 10 mm |
|----------------|------------------------|

## Physical characteristics

|                 |                           |
|-----------------|---------------------------|
| Material:       | metal                     |
| Length:         | 36 mm                     |
| Width:          | 25 mm                     |
| Height:         | 17 mm                     |
| Cable diameter: | min.: 5 mm<br>max.: 11 mm |